




杭州高电科技
HANGZHOU HIGH VOLTAGE TECHNOLOGY CO., LTD.

HANGZHOU HIGH VOLTAGE TECHNOLOGY CO., LTD.



杭州高电科技有限公司

018200

杭州高电科技有限公司

杭州高电科技

杭州高电科技有限公司

HANGZHOU HIGH VOLTAGE TECHNOLOGY CO., LTD.

.....	2
.....	2
.....	2
.....	2
.....	2
.....	3
.....	18
.....	18
.....	18
.....	19

-
-
-
-

5V 500V

0.025A 50A

0.2

0.5 ($\cos \varphi > 0.1$)

1.0 ($0.02 < \cos \varphi \leq 0.1$)

375mm × 270mm × 195mm

8kg

-10 50

≤ 85%RH

AC220V ± 10%

50 ± 1Hz


1. ↑ ↓ ← → “ ” ċ ï

1. “ ” “ ”



键 选择后请按确认:
11: 11 2004 年 01 月 01 日

“ ↑ ↓ ”
“ ”



“ ” “ ← → ” “ ↑ ”
“ ↓ ” “ ”

“ ” CT PT 1

2 .

“ Ua ” “ Ub ” “ Uc ” “ Ia ” “ Ib ” “ Ic ” “ Ia ”
” “ Ib ” “ Ic ” “ Ua ” “ Ub ” “ Uc ”
“ 0 ” “ Uo ”

2

U	Uab	Ubc	Uca			kV			
Pa	Pb	Pc		a	b	c			W
P	a	b	c				W		
f						Hz			
Z						Ω			
X						Ω			
L						H			
Φ									
R						Ω			
				“	”		“	”	“

3.

	“ U ”	“ Ia ”	A B C	“ Ia ”
“ Ua ”			“ 0 ”	“ Uo ”

“ ” “ ” “ ”

零序阻抗					
I	0.0000	A	P	0.0000	W
U	0.0000	<u>kV</u>	f	0.0000	Hz
Z	0.0000	Ω	Φ	0.0000	
X	0.0000	Ω	R	0.0000	Ω
L	0.0000	H			

I A
U kV
P W
f Hz
Z Ω
X Ω
L H
Φ
R Ω

“ ” “ ” “ ”

I	A
U	kV
P	W
f	Hz
Z	Ω
X	Ω
L	H
Φ	
R	Ω
“	”

“ ”

“ ”

5.


“ U ”

“ Ia ”

“ Ia ” “ Ua ”


“ Uo ”

8



8


“ ” “ ” “ ”



I	A
U	kV
P	W
f	Hz
Z	Ω
X	Ω


“Ua” “Ub” “Uc” “Ia” “Ib” “Ic” “Ia”
 ” “Ib” ” “Ic” ” “Ua” “Ub” “Uc”
 “0” “Uo”

11



11

12



12


“ ” “ ” “ ”

9.

线间电容					
I	0.0000	A	P	0.0000	W
U	0.0000	<u>kV</u>	f	0.0000	Hz
y	0.0000	E-6S	Φ	0.0000	
g	0.0000	E-6S	b	0.0000	E-6S
C	0.0000	<u>μF</u>			

I		A			
U		kV			
P		W			
f		Hz			
y	S	E-6		10 ⁻⁶	
b	S	E-6		10 ⁻⁶	
g	S	E-6		10 ⁻⁶	
Φ					
C		μF			
	“	”	“	”	“

10.



“ ” “ ”

20

零序阻抗					
I	0.0000	A	P	0.0000	W
U	0.0000	KV	f	0.0000	Hz
Z	0.0000	Ω	Φ	0.0000	
X	0.0000	Ω	R	0.0000	Ω
L	0.0000	H			

取记录号为 00 2004/01/01 11:11 读

